

CLAIMS

1-10. (Cancelled).

11. (New) A compound selected from the group consisting of

1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-thione;

1-(2,3-Dimethoxy-quinoxalin-6-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(3-methane-sulphonyl-benzyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[3-(2-methanesulphinyl-ethoxy)-benzyl]-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[3-(2-methanesulphonyl-ethoxy)-benzyl]-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[2-(2-methoxy-ethyl)-2H-tetrazol-5-ylmethyl]-6-prop-2-ynyloxy-1H-quinazolin-2-thione;

4-(4-Isopropyl-phenyl)-1-(3-methane-sulphinyl-benzyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-pyridin-2-ylmethyl-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-(4-[1,2,3]triazol-2-yl-benzyl)-1H-quinazolin-2-one;

1-(3-Bromo-propyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-pyridin-3-ylmethyl-1H-quinazolin-2-one;

1-[2-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-[3-(2-Hydroxy-ethoxy)-thiophen-2-ylmethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3-Chloro-4-hydroxy-5-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2-Ethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3-Ethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2-Hydroxy-6-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(1H-Indol-4-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(4-Hydroxy-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2-Hydroxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

2-Hydroxy-5-[4-(4-isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolinyl]-1-ylmethyl]-benzoic acid methyl ester;

1-(3-Chloro-4-hydroxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2-Chloro-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(4-Hydroxy-3,5-dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2,5-Dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-1H-indole-2-carboxylic acid amide;

1-(2-Ethyl-butyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

3-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-phenoxy}-acetic acid;

1-(2,3-Dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2,3-Dihydro-benzo[1,4]dioxin-6-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(4-oxo-4H-chromen-3-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(2-methyl-butyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2,6-Dichloro-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2,3-Dichloro-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-(3-trifluoromethyl-benzyl)-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-(4-trifluoromethyl-benzyl)-1H-quinazolin-2-one;

1-(3-Ethoxy-4-hydroxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(3-phenyl-butyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3,4-Diethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3-Fluoro-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

{4-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-phenoxy}-
 acetic acid;
 4-(4-Isopropyl-phenyl)-1-(4-methoxy-2,3-dimethyl-benzyl)-6-prop-2-ynyloxy-1H-
 quinazolin-2-one;
 1-(4-Benzyloxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 1-(3-Hydroxy-6-methyl-pyridin-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-
 quinazolin-2-one;
 {2-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-6-methoxy-
 phenoxy}-acetic acid;
 4-(4-Isopropyl-phenyl)-1-(3-methoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(3,4-dimethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(4-methoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(3, 5-dimethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(3, 5-dimethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(4-ethoxy-2-hydroxy-benzyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 4-(4-Isopropyl-phenyl)-1-(2,4-diethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(2-ethoxy-5-hydroxy-benzyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 4-(4-Isopropyl-phenyl)-1-(2-methoxy-benzyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(4-ethoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(3-isopropoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 4-(4-Isopropyl-phenyl)-1-(3-n-propoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-one;
 1-(4-Bromo-3-methoxy-benzyl)- 4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 4-(4-Isopropyl-phenyl)-1-(3-hydroxy-4-methoxy-benzyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 4-(4-Isopropyl-phenyl)-1-(2-methoxymethoxy-benzyl)-6-prop-2-ynyloxy-1H-quinazolin-2-
 one;
 1-(4-Bromo-3-ethoxy-benzyl)- 4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 1-(3-Chloro-4-methoxy-benzyl)- 4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 1-(3-Chloro-4-ethoxy-benzyl)- 4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-
 one;
 1-(3-Chloro-4,5-dimethoxy-benzyl)- 4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-
 2-one;

1-(4-Chloro-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Fluoro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3,4-Difluoro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(4-Chloro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(4-Fluoro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Chloro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Bromo-4-hydroxy-5-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Bromo-4,5-dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Bromo-4,5-dimethoxy-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3,4-Dibromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3,4-Dichloro-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(4-Methyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3-Methyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(4-Ethyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(3,4-Dimethyl-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(2-Bromo-thiazol-5-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(4,5-Dichloro-thiophen-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(5-methyl-thiophen-2-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-quinolin-2-ylmethyl-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-[2-(2,6,6-trimethyl-cyclohex-1-enyl)-ethyl]-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-propargyloxy-1-(3,3,3-trifluoro-propyl)-1H-quinazolin-2-one;

1-(3,3-Dimethyl-butyl)-4-(4-Isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(2,2-Dimethyl-pent-4-enyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3,5-Dimethyl-1-phenyl-1H-pyrazol-4-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(5-Bromo-thiophen-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(5-Hydroxymethyl-furan-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(2-Butyl-5-chloro-1H-imidazol-4-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(6-methoxy-pyridin-3-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

7-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-1H-indole-2-carbonitrile;

1-(2,4-Diamino-pyrimidin-5-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(6-Hydroxymethyl-pyridin-2-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-(3,5-Di-tert-butyl-4-hydroxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-[4-(4-Isopropyl-phenyl)-2-oxo-6-prop-2-ynyloxy-2H-quinazolin-1-ylmethyl]-2,2-dimethyl-oxazolidine-3-carboxylic acid tert-butyl ester;

4-(4-Isopropyl-phenyl)-1-(4-methylamino-2-methylsulphanyl-pyrimidin-5-ylmethyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[4-[2-(methyl-pyridin-2-yl-amino)-ethoxy]-benzyl]-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(2-methyl-hex-4-enyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-(4-pyrazin-2-yl-benzyl)-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(3-methylsulphanyl-propyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-thiophen-2-ylmethyl-1H-quinazolin-2-one;

1-Benzyl-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-thione;

4-(4-Isopropyl-phenyl)-1-(3-methane-sulphonyl-benzyl)-6-propargyloxy-1H-quinazolin-2-thione;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-thiophen-2-ylmethyl-1H-quinazolin-2-thione;

1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-thione;

4-(4-Isopropyl-phenyl)-1-[2-(2-methoxy-ethoxy)-pyridin-3-ylmethyl]-6-propargyloxy-1H-quinazolin-2-thione;

4-(4-Isopropyl-phenyl)-1-(3,3-dimethyl-n-butyl)-6-propargyloxy-1H-quinazolin-2-thione;

1-Benzo[1,2,5]thiadiazol-5-ylmethyl-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-thione;

Acetic acid 2-[3-[4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-2-thioxo-2H-quinazolin-1-ylmethyl]-phenoxy]-ethyl ester;

1-(2,3-Dimethoxy-quinoxalin-6-ylmethyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline;

1-[3-(2-Hydroxy-ethoxy)-thiophen-2-ylmethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione;

1-Isopropyl-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione;

2-[3-[4-(4-Isopropyl-phenyl)-2-oxo-6-propargyloxy-2H-quinazolin-1-ylmethyl]-phenoxy]-butyric acid;

2-[3-[4-(4-Isopropyl-phenyl)-2-oxo-6-propargyloxy-2H-quinazolin-1-ylmethyl]-phenoxy]-2-methyl-propionic acid;

4-(4-Isopropyl-phenyl)-1-[2-(2-methoxy-ethoxy)-pyridin-3-ylmethyl]-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-[6-(2-hydroxy-ethoxy)-pyridin-2-ylmethyl]-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-[6-Chloro-pyridin-3-ylmethyl]-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(2-Hydroxy-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(5-methoxy-pyridin-2-ylmethyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(6-methyl-pyridin-2-ylmethyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(2-Chloro-pyridin-4-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[6-[2-(2-methoxy-ethoxy)-ethoxy]-pyridin-2-ylmethyl]-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-[6-(2-methoxy-ethoxy)-ethoxy]-pyridin-2-ylmethyl)-6-propargyloxy-1H-quinazolin-2-one;

5-Allyl-1-benzyl-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Allyl-1-[3-(2-chloro-ethoxy)-4-methoxy-benzyl]-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-thiophen-2-ylmethyl-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methylsulphanyl-butyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(1-methyl-2-phenyl-ethyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-pyridin-3-ylmethyl-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-1-(4-hydroxy-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-1-[2-(2-hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Allyl-6-hydroxy-1-[3-(2-hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Allyl-1-(3,5-dimethoxy-benzyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

1-Benzyl-6-hydroxy-4-(4-isopropyl-phenyl)-5-propyl-1H-quinazolin-2-one;

6-Hydroxy-1-isobutyl-4-(4-isopropyl-phenyl)-5-propyl-1H-quinazolin-2-one;

5-Cyclopropylmethyl-1-(3,3-dimethyl-butyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

1-Benzyl-5-cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Cyclopropylmethyl-1-(3,4-dimethoxy-benzyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one;

5-Cyclopropylmethyl-1-(3,5-dimethoxy-benzyl)-6-hydroxy-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

5-Cyclopropylmethyl-6-hydroxy-1-(4-hydroxy-3-methoxy-benzyl)-4-(4-isopropyl-phenyl)-1H-quinazolin-2-one;

1-[(3-(3,4-Dimethoxy-phenyl)-propyl)]-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-1-(3-phenyl-propyl)-6-propargyloxy-1H-quinazolin-2-one;

1-[2-(3,5-Dimethoxy-phenyl)-ethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-[2-Hydroxy-2-(2,4,6-trimethyl-phenyl)-ethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-[2-(3,5-Difluoro-phenyl)-2-hydroxy-ethyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-[(E)-2-(2,4,6-trimethyl-phenyl)-vinyl]-1H-quinazolin-2-one;

4-(4-Isopropyl-phenyl)-6-prop-2-ynyloxy-1-[(E)-styryl]-1H-quinazolin-2-one;

1-[(E)-2-(3-Chloro-4-methoxy-phenyl)-vinyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

1-[(E)-2-(3,5-Dimethyl-phenyl)-vinyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one;

2-Benzylsulphanyl-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-quinazoline;

4-(4-Isopropyl-phenyl)-2-isopropylsulphanyl-6-prop-2-ynyloxy-quinazoline; and

2-Isobutylsulphanyl-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-quinazoline; or a pharmaceutically acceptable acid addition salt thereof.

12. (New) A compound of claim 11, wherein the compound is 1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

13. (New) A compound of claim 11, wherein the compound is 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

14. (New) A compound of claim 11, wherein the compound is 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione, or a pharmaceutically-acceptable acid addition salt thereof.

15. (New) A compound of claim 11, wherein the compound is 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

16. (New) A compound of claim 11, wherein the compound is 1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

17. (New) A method for the prevention or treatment of osteoporosis, juvenile osteoporosis, menopausal osteoporosis, post-menopausal osteoporosis, post-traumatic osteoporosis, fractures, osteopathy, osteo-malacia, periodontal bone loss or bone loss due to arthritis or osteoarthritis; in which an effective amount of a compound according to claim 11, or a pharmaceutically acceptable acid addition salt thereof, is administered to a patient in need of such treatment.

18. (New) The method of claim 17, wherein the compound is 1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

19. (New) The method of claim 17, wherein the compound is 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.

20. (New) The method of claim 17, wherein the compound is 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione, or a pharmaceutically-acceptable acid addition salt thereof.
21. (New) The method of claim 17, wherein the compound is 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
22. (New) The method of claim 17, wherein the compound is 1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
23. (New) A pharmaceutical composition for the prevention or treatment of osteoporosis, juvenile osteoporosis, menopausal osteoporosis, post-menopausal osteoporosis, post-traumatic osteoporosis, fractures, osteopathy, osteo-malacia, periodontal bone loss or bone loss due to arthritis or osteoarthritis, comprising a compound according to claim 11 in admixture with a pharmaceutically acceptable excipient, diluent or carrier.
24. (New) The pharmaceutical composition of claim 23, wherein the compound is 1-(3-Ethoxy-4-methoxy-benzyl)-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
25. (New) The pharmaceutical composition of claim 23, wherein the compound is 1-(4-Bromo-benzyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
26. (New) The pharmaceutical composition of claim 23, wherein the compound is 1-[3-(2-Hydroxy-ethoxy)-benzyl]-4-(4-isopropyl-phenyl)-6-prop-2-ynyloxy-1H-quinazoline-2-thione, or a pharmaceutically-acceptable acid addition salt thereof.
27. (New) The pharmaceutical composition of claim 23, wherein the compound is 5-Cyclopropylmethyl-6-hydroxy-4-(4-isopropyl-phenyl)-1-(3-methoxy-benzyl)-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.
28. (New) The pharmaceutical composition of claim 23, wherein the compound is 1-(2-Chloro-pyridin-3-ylmethyl)-4-(4-isopropyl-phenyl)-6-propargyloxy-1H-quinazolin-2-one, or a pharmaceutically-acceptable acid addition salt thereof.